

SF4102MCS

Product Family: Oven Category: 45cm compact **Power supply: Electric Heat source: Electric**

Cooking method: Combi Microwave Cleaning system: Vapor Clean

Oven control: Electronic EAN code: 8017709253967



Aesthetics

Aesthetics: Linea

Serie: 2 Design: Flat

Colour: Silver Glass Material: Glass

Type of steel: Brushed Glass Type: Stopsol Serigraphy colour: Grey Serigraphy type: Symbols

Door: Full glass Handle: Linea

Handle Colour: Chromed Logo: Silk screen

Programs / Functions

No. of cooking functions: 13 Automatic programmes: 20 Traditional cooking functions

















Microwave functions













Other functions











Cleaning functions



Controls

Display technology: LCD Display generation: 1st Control setting: Control knobs

No. of controls: 2 Control knobs: Linea Illuminated control knobs



Options

Timer: Electronic

Time-setting options: Delay start and automatic end cooking

Minute minder

End of cooking acoustic alarm

Timer: 1

Limited Power Consumption Mode Controls Lock / Child Safety Other options: Keep warm, Eco light, Quick start

Showroom demo option

Tones: Standard Rapid pre-heating

Technical Features

Temperature control: Electronic Minimum Temperature: 30 °C Maximum temperature: 250 °C Cavity material: Ever clean Enamel

No. of shelves: 3

Shelves type: Metal racks

Tiliting grill
No. of lights: 2
Light type: Halogen
Light Power: 40 W

Light when door is opened

Lower heating element power: 1000 W

Grill element - power: 2000 W

Circular heating element - Power: 1400 W Door opening type: Standard opening

Door: Temperate door Total no. of door glasses: 3

No. of thermoreflecting door glasses: 2

Soft Close hinges Safety Thermostat

Heating suspended when door is opened

Cooling system: Tangential

Cooling duct: Single

Microwave screen protection

Microwave stops when door is opened

Usable cavity space dimensions (HxWxD): 212x462x407 mm

Performance / Energy Label

Net volume of the cavity: 40 litres

No. of cavities: 1 Gross volume: 50 litres

Microwave effective power: 1000 W

Accessories Included

Grid with back stop: 1

Insert gird: 1 Glass tray: 1

Electrical Connection

Voltage: 220-240 V

Electrical connection rating (W): 3100 W

Current: 14 A

Frequency (Hz): 50 Hz

Power supply cable length: 115 cm

Accessories not included



BN620-1

Enamelled tray, 20mm deep



BN646

Enamelled tray, 40mm deep



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid





BVG

Glass tray and stainless steel grid, 40mm deep



GT1P-2

Partially extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 285 mm. Material: Stainless steel AISI 430 polished.



GT1T-2

Totally extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 418.5 mm. Material: Stainless steel AISI 430 polished.



KIT130S

Trim kit for 45 cm Linea ovens



PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



PIR2

Steel pan with grid, glass top, not suitable for ovens with telescopic guides



PPR2

Refractary pizza stone without handles. Squared shaped stone: L42 x H1,8 x D37,5 cm. Suitable also for gas ovens, to be put on the griddle.



PR3845X

Antifingerprint stainless steel. Cover for furniture in column installation of more ovens



SFLK1

Child lock



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

