

SF4390VCX1

Product Family: Oven
Category: 45cm compact
Power supply: Electric
Heat source: Electric
Cooking method: Combi Steam
Steam technology: Full steam
Cleaning system: Vapor Clean
Oven control: Electronic
EAN code: 8017709235888



Aesthetics

Aesthetics: Classic
Design: Flat
Colour: Fingerproof Stainless Steel
Material: Stainless steel
Type of steel: Brushed
Glass Type: Eclipse
Serigraphy colour: Black
Serigraphy type: Symbols

Door: With 2 horizontal strips
Handle: Classic
Handle Colour: Stainless steel
Logo: Embossed

Programs / Functions

No. of cooking functions: 14
Automatic programmes: 20

Traditional cooking functions




Cooking functions with Full Steam technology



Other Steam functions



Other functions



Cleaning functions



Controls

Display technology: LCD

Display generation: 1st



Control setting: Control knobs

No. of controls: 2

Control knobs: Classic

Controls colour: Steel effect

Options

Timer: Electronic
Time-setting options: Delay start and automatic end cooking
Minute minder
End of cooking acoustic alarm
Limited Power Consumption Mode
Controls Lock / Child Safety

Other options: Keep warm, Eco light
Showroom demo option
Rapid pre-heating

Technical Features

Temperature control: Electronic
Minimum Temperature: 30 °C
Maximum temperature: 250 °C
Cavity material: Ever clean Enamel
No. of shelves: 3
Shelves type: Metal racks
No. of lights: 1
Light type: Halogen
Light Power: 40 W
Light when door is opened
Lower heating element power: 1000 W
Grill element - power: 2000 W
Circular heating element - Power: 1400 W
Boiler - Power: 900 W
Door opening type: Standard opening
Door: Temperate door
Removable door

Full glass inner door
Removable inner door
Total no. of door glasses: 3
No. of thermoreflecting door glasses: 1
Soft Close hinges
Safety Thermostat
Heating suspended when door is opened
Cooling system: Tangential
Cooling duct: Single
Water loading: Automatic
Tank capacity: 1,2 L
Steam generation: Autostart, continuous generation
Steam stops when door is opened
Usable cavity space dimensions (HxWxD): 212x462x407 mm

Performance / Energy Label

Energy efficiency class (2002/40/CE): A
Energy efficiency class: A+
Net volume of the cavity: 41 litres
Energy consumption per cycle in conventional mode: 0.85 KWh
Energy consumption per cycle in fan-forced convection: 0.59 KWh

No. of cavities: 1
Energy efficiency index: 81.9 %
Gross volume: 50 litres

Accessories Included

Grid with back stop: 1
Insert grid: 1
Enamelled deep tray (40mm): 1
St/steel tray (20mm): 1
St/steel perforated deep tray (40mm): 1

Other: Sponge/ Boiler cover/ Beaker

Electrical Connection

Voltage: 220-240 V
Electrical connection rating (W): 3100 W
Current: 14 A
Frequency (Hz): 50/60 Hz

Power supply cable length: 115 cm

Accessories not included



BN620-1
Enamelled tray, 20mm deep

**BN640**

Enamelled tray, 40mm deep

**BNP608T**

Teflon-coated tray, 8mm depth, to be placed on the grid

**BVG**

Glass tray and stainless steel grid, 40mm deep

**GT1PV**

Partially extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 285 mm. Material: Stainless steel AISI 430 polished.

**GT1TV**

Totally extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 418.5 mm. Material: Stainless steel AISI 304 polished.

**KIT330X**

Trim kit for 45 cm Classica ovens

**KP43V**

Suitable for steam ovens and combi-steam ovens

**PALPZ**

Pizza shovel with fold away handle width: 315mm length : 325mm

**PPR2**

Refractory pizza stone without handles. Squared shaped stone: L42 x H1,8 x D37,5 cm. Suitable also for gas ovens, to be put on the griddle.

**PR3845X**


Antifingerprint stainless steel. Cover for furniture in column installation of more ovens

**PRTX**

Refractory pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.

**SFLK1**

Child lock

**SMOLD**

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

