

ST2FABRD

50's Retro style Aesthetic
EAN13: 8017709232412

Product Family: Dishwashers
Aesthetics: 50's style
Installation: Under counter
Commercial width: 60 cm
Number of place settings: 13
Colour: Red
Energy efficiency class: A+++



TYPE



- Commercial width: 60 cm
- Number of place settings: 13

- Product Family: Dishwashers
- Installation: Under counter
- Commercial height: 82 cm

AESTHETICS

- Aesthetics: 50's style
- Front panel colour: Finger friendly stainless steel
- LED/display colour: White

- Colour: Red
- Door colour: Red
- Buttons colour: Finger friendly stainless steel

PROGRAMS / FUNCTIONS



- No. of programmes: 5+4 quick programmes
- Washing temperatures: 38° °C, 45° °C, 50° °C, 55° °C, 65° °C, 70° °C

OPTIONS



- 1/2 load FlexiZone option (varied distribution) : Yes

- Energy saving option EnerSave: A+++
- Delay timer option: Up to 9 hours
- Options for tabs FlexiTabs: Yes
- Quick Time option: Yes

BASKETS



- Handle: In plastic with stainless steel insert on upper and lower basket
- Height adjustment of the upper basket: On three levels
- Lower Basket: With double foldable rack
- Largest loadable dish in lower basket: 30 cm
- Colour Inner Components: Grey anti drop inserts, Grey handles, Grey pastic plate for regulation second basket on three levels, Grey Planetarium

- Basket colour: Stainless Steel
- Basket components colour: Matching the external colour
- Wire Handle grip (lower basket): Yes
- Upper Basket: With central fixed racks
- Upper basket with EasyGlide System: Yes
- Largest loadable dish in upper basket: 23,5 cm
- Lower basket with anti-drip inserts: Yes
- Cutlery basket: 13 place settings sliding

TECHNICAL FEATURES



- Display type: LED display (1 digit)
- Salt light indicator: Light
- End of cycle indicator: Acoustic signal
- Drying system: Natural condenser drying, with EnerSave automatic door opening system at the end of the cycle

- Controls: Electronic
- Display: Delayed start
- On/off indicator: Yes
- Rinse aid indicator: Light
- Washing system: Planetarium
- Motor: Single phase
- Third spray arm: Single
- Water softener: With electronic setting

- Turbidity sensor Aquatest: Yes
- Water supply: Single; cold/hot water max. 60°C - energysave with hot water up to 35%
- Tub material: Stainless steel
- Concealed heating element: Yes
- Adjustable feet: 7cm, from 820 to 890 mm

- Flood protection system: Total Acquastop
- Max water hardness: 100°fH;58°dH
- Steam protection: In plastic
- Filter: Stainless Steel
- Hinges: Self balancing with fixed hinges
- Back feet adjustable from front: Yes

PERFORMANCE / ENERGY LABEL



- Noise level: 43 dB(A) re 1pW
- Energy consumption per cycle (kWh/cycle): 0.810 KWh
- Annual water consumption: 2380 litres
- Total cycle time of reference programme (min): 170 min
- Duration of the stand by on mode (min): 5 min

- Energy efficiency class: A+++
- Cleaning performance: A
- Drying performance: A
- Water consumption per cycle (l/cycle): 8.5 litres
- Annual energy consumption: 230 KWh/year
- Reference programme: ECO
- Energy consumption - stand by off mode: 0.02 W
- Energy consumption - stand by on mode: 0.80 W

ELECTRICAL CONNECTION

- Connected power: 1800 W
- Voltage: 220-240 V
- Type of connection: Single-phase
- Power supply cable length: 140 cm

- Current: 10 A
- Frequency (Hz): 50 Hz
- Plug type: Schuko

LOGISTIC INFORMATION

- Dimensions of the product HxWxD (mm): 818x598x545

OPTIONAL

- Kit glass holder. It has to be fitted on the first basket but only if there are foldable racks: **KITGH**
- Toekick Kit in Stainless Steel with adjustable height. Can be fitted over all the fully integrated and underbench models with Fixed Fulcrum. Can be installed also on the models with variable fulcrum or flexifit hinges.: **KITPL60FABX**
- Toekick Kit in Black colour with adjustable height. Can be fitted over all the fully integrated and underbench models with Fixed Fulcrum. Can be installed also on the models with variable fulcrum or flexifit hinges.: **KITPL60FABN**

- Kit extension for dishwasher and washing machine: lenght mt. 2: **KITPLV2**
- Toekick Kit in White colour with adjustable height. Can be fitted over all the fully integrated and underbench models with Fixed Fulcrum. Can be installed also on the models with variable fulcrum or flexifit hinges.: **KITPL60FABB**
- stainless steel panel with Canali handle. Can be fitted on the fully integrated dishwashers.: **KIT6FIL**

VERSIONS

- ST2FABBL: Black
- ST2FABPK: Pink
- ST2FABCR: Cream
- ST2FABWH: White

For availability in specific countries please contact your [local agent](#) .



A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.



Aquatest measures the clarity of the water during an auto program, and automatically ensures the minimum consumption of water and energy.



Anti-drip: Some models of dishwashers are equipped with special polymer nozzles anti-drip, that improve the process of drying.



COMM_HEIGHT_82_72dpi



Delay Timer: The delay timer can postpone the start of the program by up to 24 hours.



Energysave: At the end of the drying cycle a special device slowly automatically opens the door a few centimeters, to ensure perfect drying and to save up to 20% of energy on some models.



EasyGlide: Convenient EasyGlide system for easy unloading of the appliance that allows reaching maximum flexibility of load of the machine.



Flexitabs: Flexitabs adjusts the wash cycle to give the best possible results regardless of the type of detergent used.



FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



PLANETARIUM_WASHING_SYSTEM_72dpi



Auto 60° - 70°: The auto program regulates the length of a cycle depending on the need for a pre-wash and the number of rinses required.



Crystal: The crystal cycle is a particular programme designed especially for delicate dishes with light dirt.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Normal Quick: Program Normal Quick is suitable for quick washing of mixed dishes, for everyday use.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Rapid 27 Mins: The rapid 27 mins quick program takes just 27 minutes to wash a load.



PRG_STRONG_72dpi



Strong&Fast: This special programme takes less than 1 hour to eliminate the most stubborn dirt and dried on residues.



Quick Time: The Quick Time option can reduce the length of the wash cycle up to 55%.



The symbols show the number of plate settings of the dishwasher.



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.

