

## STC75

**Product Family:** Dishwashers

**Commercial width:** 60 cm

**Commercial height:** Compact

**Installation:** Fully-integrated



### Programs / Functions

---

No. of programmes: 10

Washing temperatures: 38°, 45°, 65°, 55°, 70° °C

Soak, Crystal, Normal, ECO, Quick 27 min, Auto 40-50, Auto 60-70, Strong and fast, Super, Plate rack/warmer

### Options

---

Delay timer option: Up to 9 hours, with automatic soak

Options for tabs FlexiTabs

### Baskets

---

Basket colour: Stainless Steel

Largest loadable dish in lower basket: 32 cm

Basket components colour: Grey

Handle: In plastic only on lower basket

Lower Basket: With completely foldable racks and glass holder

Basket with anti-drip system

### Technical Features

---

Controls: Electronic

Display: Delayed start

Salt light indicator: Light

Rinse aid indicator: Light

End of cycle indicator: Led on display, with acoustic signal

Washing system: Orbital

Third spray arm: Single

Water softener: With electronic setting

Turbidity sensor Aquatest

Flood protection system: Total Acquastop

Water supply: Single; cold/hot water max. 60°C - energysave with hot water up to 35%

Drying system: Natural condenser drying

Internal light: With White led

Tub material: Stainless steel

Filter: Stainless Steel

Hinges: Self balancing with variable triple effect hinges

Can be installed in-column

## Performance / Energy Label

---

Number of place settings: 7

Energy rating: AA

Energy efficiency class: A

Cleaning performance: A

Drying performance: A

Noise level: 48 dB(A) re 1pW

Energy consumption per cycle (kWh/cycle): 0.73 kWh

Water consumption per cycle (l/cycle): 10 litres

Annual energy consumption: 208 kWh/year

Annual water consumption: 2800 litres

Reference programme: ECO

Total cycle time of reference programme (min): 150 min

Energy consumption - stand by off mode: 0.02 W

Energy consumption - stand by on mode: 0.8 W

Duration of the stand by on mode (min): 5 min

## Electrical Connection

---

Connected power: 1800 W

Current: 10 A

Voltage: 220-240 V

Frequency (Hz): 50 Hz

Type of connection: Single-phase

Plug type: Schuko

## Accessories not included

---



### **KIT73624X**

Classic aesthetics panel Kit in stainless steel finish specific for dishwasher model STC75 with 14 mm. handle: panels 597x355 cm. - 597x235 cm.



### **KIT73636X**

Classic aesthetics panel Kit in stainless steel finish specific for dishwasher model STC75 with 14 mm. handle: panels 597x355 cm. - 597x355 cm.



### **KITGH**

Kit glass holder. It has to be fitted on the first basket but only if there are foldable racks



### **KITPL60B**

Toekick Kit in White colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.

### **KITPL60N**

Toekick Kit in Black colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.


### **KITPL60X**

Toekick Kit in Stainless Steel with adjustable height and deepness. Can be fitted over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.



### **KITPLV2**

Kit extension for dishwasher and washing machine: length mt. 2



attenzione: dimensioni riferite ad installazione con pannelli di spessore 20 mm.  
Per pannelli di spessore diverso, consultare il manuale di installazione completo.